### CERAMAGE – A CERAMO POLYMER RESTORATION TO BE USED AS AN ALTERNATIVE TO CERAMICS; AS AN INDIRECT RESTORATIVE MATERIAL IN A MINIMALLY INVASIVE COSMETIC DENTISTRY PROTOCOL - A CASE REPORT

Prafulla Thumati<sup>1</sup>, K. Raghavendra Reddy<sup>2</sup>\*

1. Professor & HOD. Department of Prosthodontics Dayananda Sagar College Of Dental Sciences Bangalore, Karnataka/India 2. Senior Lecturer. Department of Prosthodontics Sri Sai College of Dental Surgery Vikarabad, Andhra Pradesh/India

### Abstract

Tooth wear and discoloration is a normal process in the life time of an individual. Severe wear and discoloration can result in cosmetic concern and loss of vertical dimension. These problems can best be treated by giving fixed prosthesis. This case provides the management using the concept of Minimally Invasive Cosmetic Dentistry (MICD) with Ceramopolymer as the restorative material. Computer Guided Occlusal Analysis (CGOA) was used for establishing uniform occlusal force distribution.

Case report (J Int Dent Med Res 2013; 6: (1), pp. 31-35)

**Keywords:** Attrition, Ceramage, Discolaration, Vertical dimension, Minimally Invasive Cosmetic Dentistry (MICD), Computer Guided Occlusal Analysis (CGOA).

Received date: 29 January 2013

Accept date: 01 March 2013

### Introduction

Discoloration and gradual wear of the occlusal surfaces of teeth is a normal process during the lifetime of an individual. However, excessive occlusal wear and discoloration can result in pulpal pathology, occlusal disharmony, impaired function, and aesthetic disfigurement.<sup>1</sup> Tooth wear can be classified as attrition, abrasion, and erosion depending on its cause. A differential diagnosis is not always possible because, in many situations, there exists a combination of these processes.<sup>2</sup> Therefore, it is important to identify the factors that contribute to discoloration, excessive wear and to evaluate alteration of the vertical dimension of occlusion caused by the worn dentition.<sup>3</sup>

\*Corresponding author:

Dr. K. Raghavendra Reddy M.D.S Senior Lecturer. Department of Prosthodontics Sri Sai College of Dental Surgery Vikarabad, Andhra Pradesh India-501101 **Phone no:** +918801431567 **E-mail:** <u>dr.rajureddy@gmail.com</u>

The comprehensive concept of Minimally invasive cosmetic dentistry (MICD) and its treatment protocol were introduced in 2009 with the basic aim of a clinician effecting optimum clinical therapeutic improvements in smile enhancement, while performing corrective procedures require that as little clinical intervention as possible.4

The following case illustrates Minimally Invasive approach with Computer Guided Occlusal Analysis (CGOA).

### Case Report:

A healthy 56 years old female patient reported to the Department of Prosthodontics, Dayananda Sagar College of Dental Sciences, Bangalore, with a chief complaint of replacement of missing posterior teeth. Intra oral examination revealed discoloured anterior teeth with generalized attrition and reduced vertical dimension of occlusion. Missing teeth in relation to permanent maxillary left second molar, permanent maxillary left third molar, permanent mandibular left first molar, permanent mandibular left second molar, permanent mandibular left third molar, permanent mandibular right first molar, permanent mandibular right second molar

Volume  $\cdot 6 \cdot \text{Number} \cdot 1 \cdot 2013$ 

#### Journal of International Dental and Medical Research <u>ISSN 1309-100X</u> <u>http://www.ektodermaldisplazi.com/journal.htm</u>

and porcelain fused to metal bridge in relation permanent maxillary right canine to permanent maxillary right third molar. Porcelain fused to metal crown present in relation to permanent mandibular right second premolar along with root stump in relation to permanent maxillary left first premolar. Orthopantograph (Figure-1) and periapical radiographs showed adequate bone support.



Figure-1. Orthopantograph

Figure. 2 and 3. Before treatment Photos.

adjustable articulator using face bow transfer and centric relation record made by bimanual manipulation (Dawson's Technique).<sup>5</sup> This was used for the development of diagnostic waxing with which Occlusion was developed to the increased vertical dimension and a customised anterior guidance was fabricated.

After the wax up on diagnostic casts, they were shown and discussed with the patient. Extraction of root stumps in relation to permanent maxillary left first premolar followed by immediate placement done. implant Tooth implant supported bridge has been planned by placing a implant in relation to permanent mandibular left second molar. Implants has been placed in relation to permanent mandibular right first molar and permanent mandibular right second molar. All the teeth were prepared for veneer's (anteriors) by minimally invasive techniques. Indirect ceramopolymer (Ceramage, Shofu Inc, Japan) restorations were fabricated. These restorations were bonded by using Flowable composites<sup>6</sup> and Bonding agents (Beautifil Flow Plus and Beautifil bond Shofu Inc, Japan).



Figure-2. Pre-treatment Photo

Figure. 4, 5 and 6. After treatment Photos.








Figure-3. Pre-treatment Photo

# **Procedure:**

After thorough Oral prophylaxis, diagnostic casts were mounted on semi-

Volume · 6 · Number · 1 · 2013



Figure-5. Post- treatment Photo


A Minimally Invasive Cosmetic Dentistry Protocol Prafulla Thumati, and K. Raghavendra Reddy




Figure-6. Post- treatment Photo

Then, the Digital analysis of occlusion was done by using T-Scan III (Tekscan, USA).


Photo Tekscan: Before Correction		After Correction
Centric:	Graph 1	Graph 2
Protrusive:	Graph 3	Graph 4
Left Lateral:	Graph 5	Graph 6
Right Lateral: Graph 7		Graph 8






Protrusive: Graph 3










Left Lateral: Graph 5

After Correction





Right Lateral: Graph 7

Right Lateral: Graph 8

The forces were harmonized by Occlusal corrections as seen in the Post treatment T-Scan III recordings and the restorations were finished and polished intraorally to reduce the surface roughness<sup>6</sup> by using Ceramage finishing and polishing kit and One gloss kit (Shofu Inc, Japan).

### **Discussion:**

Full -mouth reconstruction, by very nature can be extremely complex. Dental technique and technologies have come a long way in the past 30 years and patients are often surprised by what can be done. Correct diagnosis and analysis is important to identify and address the causes of the problems in the treatment plan. Treatment is often a non-surgical and a minimally invasive approach to get the upper and lower jaws in proper alignment, restoring the teeth, ultimately creating a healthy and attractive smile that will last for many years.

In the present case minimally invasive approach with computer guided occlusal analysis for determining occlusal pattern was followed.

Minimally invasive technique involves performing corrective procedures with little clinical intervention like veneers, resin bonded bridges, partial veneer crowns, inlays and onlays as opposed to placing complete coverage restorations like full crowns. The advantage of this technique would be conservative tooth preparation, minimizing untoward pulpal responses that frequently result when a vital tooth is prepared for full coverage.<sup>7</sup>

Computer guided occlusal analysis system being a latest advancement in dentistry<sup>8</sup> aims at treating occlusal abnormalities by using T-Scan sensor as compared to articulating paper markings.<sup>9</sup> Advantages of T-Scan being, it can be used for reducing chronic muscular hyperactivity<sup>10,11</sup>, treatment of myofascial pain dysfunction syndrome<sup>12-15</sup>, illustrates true nature of occlusal force pattern, insight into degree of occlusal forces<sup>16</sup> and contact timing sequence.<sup>17</sup>

The T-Scan Computerised occlusal Analysis System offers precision technology that analyses occlusal contact force and time sequences in 0.003-second increments and graphically displays them in movie form<sup>18, 19</sup>. This system simplifies occlusal adjustments at aesthetic prosthesis insertion, as it quickly isolates excessive force concentrations and timepremature contacts, so their eradication is predictable and effective.

The Occlusal force and time-sequence data are relayed to a personal computer through a high definition recording sensor that measures contact-varying relative force sequentially as differing tooth contacts interact at the Occlusal surfaces. During a turbo-mode recording, the sensor is scanned 3,000 times per second, resulting in a dynamic movie of changing Occlusal forces that can be incrementally viewed in a slow-motion playback.

This dynamic playback separates all the force variance into their contact order, while simultaneously grading their relative Occlusal force, so that a clinician can observe them for diagnosis and possible treatment. In two or three dimensions, the contact timing sequence can be played forwards or backwards continuously or in 0.003-second increments, to reveal an Occlusal "movie" that describes the occlusal condition. In the three dimension playback view, the force columns change both their height and colour designation. In the two dimension contour view, the colour-coded force concentration zones alter size, shape and colour as the Occlusal forces Warmer colours indicate forceful change. contacts, while darker colours indicate lower force contacts.

The choice of restorative material used for treating this case was Ceramage to conserve the remaining tooth structure.<sup>20</sup> Ceramage is a micro ceramic polymer system with 73% of zirconium silicate filler (PFS-progressive fine structured filler) supported by an inorganic polymer matrix which contains Urethane dimethacrylate and Urethane diacrylate.<sup>21</sup> Ceramage combines extra ordinary hardness<sup>21</sup> and fracture resistance.<sup>6</sup> Ceramage ensures the reproduction of natural colour to fabricate restorations with life-like esthetics, excellent polishability and high resistance to plaque.<sup>21</sup> Ceramage can be used in temporary bridges and fibre reinforcement to ceramage material has the potential to enhance the longevity of temporary bridges.<sup>22</sup>

## Conclusion:

Management of severely worn dentition and discoloration becomes a complex condition for treatment which involves restoration with full crowns. This innovative technique of MICD involves restoring the anteriors with Ceramage veneers and posteriors with Implants. Using CGOA for such cases helps in establishing uniform force distribution, bilateral simultaneity, measurable immediate disclusion minimizing the damaging effect of concentrated, excessive, isolated Occlusal forces.

### References

- 1. Turner KA, Missirlian DM. Restoration of the extremely worn dentition. J Prosthet Dent 1984;52(4):467–74.
- 2. Smith BG. Toothwear: Aetiology and diagnosis. Dent Update 1989;16(5):204-12.
- Prasad S, Kuracina J, Monaco EA Jr. Altering occlusal vertical dimension provisionally with base metal onlays: A clinical report. J Prosthet Dent 2008;100(5):338–42.
- Koirala S. Minimally invasive cosmetic dentistry-Concept and treatment protocol. Cos Dent 2009;(4):28-33.
- Peter E. Dawson. Functional occlusion: From TMJ to smile design. Mosby, St.Louis. 2007;76-78.
- 6. Han JM, Lin H, Zheng G, Shinya A, Gomi H, Shinya A, Lin J. Effect of nanofiller on wear resistance and surface roughness of resin composites. Chin J Dent Res 2012;15(1):41-7.
- 7. Kerstein RB. Computerized Occlusal Analysis Technology and Cerec Case Finishing. Int J Comput Dent 2008;11(1):51-63.
- 8. Kerstein RB. Current Applications of Computerized Occlusal Analysis in Dental Medicine. Gen Dent 2001;49(5):521-30.
- **9.** Kerstein RB. Articulating paper mark misconceptions and computerized occlusal analysis technology. Dent Implantol Update 2008;19(6):41-6.
- **10.** Kerstein RB, Radke J. Masseter and temporalis excursive hyperactivity decreased by measured anterior guidance development. Cranio 2012;30(4):243-54.
- **11.** Kerstein RB. Reducing chronic masseter and temporalis muscular hyperactivity with computer-guided occlusal adjustments. Compend Contin Educ Dent 2010;31(7):530-4.

Volume · 6 · Number · 1 · 2013

- Kerstein RB, Farrel S. Treatment of myofascial pain dysfunction syndrome with occlusal equilibration. J Prosthet Dent 1990;63(6):695-700.
- Kerstein RB, Wright N. An electromyographic and computer analysis of patients suffering from chronic myofascial pain dysfunction syndrome; pre and post - treatment with immediate complete anterior guidance development. J Prosthet Dent 1991; 66(5):677-86.
- **14.** Kerstein RB. Treating Myofascial Pain dysfunction Syndrome. Dent Today 1995;14(3):52-7.
- **15.** Kerstein RB. Treatment of myofascial pain dysfunction syndrome with occlusal therapy to reduce lengthy disclusion time A recall study. Cranio 1995;13(2):105-15.
- Kerstein RB, Lowe M, Harty M, Radke J. A Force reproduction analysis of two recording sensors of a computerized occlusal analysis system. Cranio 2006;24(1):15-24.
- Kerstein RB, Wilkerson DW. Locating the centric relation prematurity with the aid of a computerized occlusal analysis system. Compend Contin Educ Dent 2001;22(6):525-8.
- **18.** Maness WL. Force movie. A time and force view of occlusion. Compend Contin Educ Dent 1989;(10):404-8.
- Kerstein RB, Grundset K. Obtaining measurable bilateral simultaneous occlusal contacts with computer analysed and guided occlusal adjustments. Quin Int 2001;32(1):7-18.
- Garoushi SK, Shinya A, Shinya A, Vallittu PK. Fiber-reinforced onlay composite resin restoration: A case report. J Contemp Dent Pract 2009;10(4):104-10.
- **21.** Nishimaki M. Depth of cure and hardness of indirect composite materials polymerized with two metal halide laboratory curing units. J Oral Sci 2012;54(1):121-5.
- **22.** AI Twal EQ, Chadwick RG. Fibre reinforcement of two temporary composite bridge materials-effect upon flexural properties. J Dent 2012;40(12):1044-51.